```
APR 0 8 2002
                         SEQUENCE LISTING
      The UNEVERTER
<110>
                      of Melbourne
<120> Small Cyclic Mimics of Brian-Derived Neurotrophic Factor (BDNF)
<130> FP12888
<140> PCT/AU00/00641
<141>
      2000-06-07
<150> AU PQ0848
<151> 1999-06-08
<160> 38
<170> PatentIn version 3.1
<210> 1
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 1
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210>
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> ACETYLATION
<220>
```

<221> MOD RES

(14)..(14)

<222>

```
<223> AMIDATION
<400> 2
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 3
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
<221> DISULFID
<222>
      (1)..(12)
<223>
<400> 3
Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln
               5 ,
<210> 4
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(12)
<223>
<400> 4
Cys Lys Val Pro Val Ser Lys Gly Gln Leu Lys Cys
               5
<210> 5
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
```

```
<400> 5
Cys Val Pro Val Ser Lys Gly Gln Leu Cys
<210> 6
<211>
       8
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(8)
<223>
<400> 6
Cys Pro Val Ser Lys Gly Gln Cys
<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
      (1)..(14)
<222>
<223>
<400> 7
Cys Ala Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
      DISULFID
<221>
<222>
      (1)..(14)
```

<223>

```
<400> 8
Cys Glu Ala Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Sequence derived from amino acid sequence for BDNF
<220>
<221>
      DISULFID
      (1)..(14)
<222>
<223>
<400> 9
Cys Glu Lys Ala Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
<210> 10
<211>
      14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 10
Cys Glu Lys Val Ala Val Ser Lys Gly Gln Leu Lys Gln Cys
               5
<210> 11
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
```

```
Cys Glu Lys Val Pro Ala Ser Lys Gly Gln Leu Lys Gln Cys
<210> 12
<211>
      14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 12
Cys Glu Lys Val Pro Val Ala Lys Gly Gln Leu Lys Gln Cys
<210> 13
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
      DISULFID
<221>
<222>
      (1)..(14)
<223>
<400> 13
Cys Glu Lys Val Pro Val Ser Ala Gly Gln Leu Lys Gln Cys
<210> 14
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
     Sequence derived from amino acid sequence for BDNF
<223>
<220>
      DISULFID
<221>
<222>
       (1)..(14)
<223>
```

<400> 11

<400> 14

```
Cys Glu Lys Val Pro Val Ser Lys Ala Gln Leu Lys Gln Cys
<210> 15
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 15
Cys Glu Lys Val Pro Val Ser Lys Gly Ala Leu Lys Gln Cys
               5
<210> 16
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(14)
<223>
<400> 16
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Ala Lys Gln Cys
               5
<210> 17
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 17
```

```
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Ala Gln Cys
<210> 18
<211>
      14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(14)
<223>
<400> 18
Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Ala Cys
<210> 19
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (3)..(3)
<223> to residue 3 of SEQ ID NO 20
<400> 19
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
               5
<210> 20
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
```

```
<223>
<220>
<221> DISULFID
      (3)..(3)
<222>
<223> to residue 3 of SEQ ID NO 19
<400> 20
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
               5
<210> 21
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (4)..(4)
<223> to residue 4 of SEQ ID No 22
<400> 21
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
              5
<210> 22
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (4)..(4)
<223> to residue 4 of SEQ ID No 21
```

```
<400> 22
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
            5
<210> 23
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222>
      (5)..(5)
<223> to residue 5 of SEQ ID NO 24
<400> 23
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 24
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO 23
<400> 24
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 25
<211> 10
<212> PRT
```

```
<213> Artificial Sequence
<220>
      Sequence derived from amino acid sequence for BDNF
<223>
<220>
<221> MISC_FEATURE <222> (3)..(3)
<223> derivitised with acetamidomethyl
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<400> 25
Cys Val Cys Val Ser Lys Gly Gln Leu Cys
                5
<210> 26
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> MISC FEATURE
<222> (4)..(4)
<223> derivitised with acetamidomethyl
<400> 26
Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
                5
<210> 27
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> derivitised with acetamidomethyl
```

```
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<400> 27
Cys Val Pro Val Cys Lys Gly Gln Leu Cys
<210> 28
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD RES
<222> (11) .. (11)
<223> AMIDATION
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (11)..(11)
<223> to residue 11 of SEQ ID No 29
<400> 28
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu
               5
<210> 29
<211>
      11
<212> PRT
<213> Artificial Sequence
      Sequence derived from amino acid sequence for BDNF
<220>
```

```
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID <222> (1)..(10)
<223>
<220>
<221> DISULFID <222> (11)..(11)
<223> to residue 11 of SEQ ID No 28
<400> 29
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys
                 5
<210> 30
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223>
       Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222>
      (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID No 31
```

```
<220>
<221> DISULFID <222> (11)..(11)
<223> to residue 11 of SEQ ID No 31
<400> 30
Cys Val Pro Val Cys Lys Gly Gln Leu Cys Glu
<210> 31
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID No 30
<220>
<221> DISULFID
<222> (11)..(11)
<223> to residue 11 of SEQ ID No 30
<400> 31
Cys Val Pro Val Cys Lys Gly Gln Leu Cys Lys
<210> 32
<211> 4
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> X is 6-amino hexanoyl at residue 1
<220>
<221> DISULFID
<222> (1)..(4)
<223>
<400> 32
Xaa Leu Leu Ala
<210> 33
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> X is 6-amino hexanoyl at residue 1
<400> 33
Xaa Leu Leu Ala
<210> 34
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> DISULFID
<222> (1)..(5)
<223>
<400> 34
Ala Pro Lys Lys Ala
     5
```

```
<210> 35
<211>
      12
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<400> 35
Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln
<210> 36
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> MISC FEATURE
<222> (11)..(11)
<223> amide bond linker to residue 11 of SEQ ID 37
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<400> 36
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu
<210> 37
<211>
      11
<212>
      PRT
<213> Artificial Sequence
      Sequence derived from amino acid sequence for BDNF
<220>
```

```
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222> (1)..(10)
<223>
<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> amide bond linker to residue 11 of SEQ ID 36
<400> 37
Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys
                 5
<210> 38
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION
<220>
<221> DISULFID
<222>
       (1)..(10)
<223>
<220>
<221> DISULFID
<222> (5)..(5)
<223> disulphide bond between residue 5 of SEQ ID 39
```

<220>
<221> MISC\_FEATURE
<222> (11)..(11)
<223> amide bond between residue 11 and residue 11 of SEQ ID 39

<400> 38

Cys Val Pro Val Cys Lys Gly Gln Leu Cys Glu

. . .